SuperCross™ microcatheters



SuperCross™ Microcatheters

Superb Crossability in Tortuous Anatomy

Teleflex®

Superb Crossability in Challenging Cases

SuperCross Microcatheters provide support in tortuous anatomy and navigating bifurcated vessels.



Angled Tip Catheters

Dual Coil Shaft Construction
Provides excellent torque response, flexibility, pushability and kink resistance

PTFE Inner Layer
Allows for outstanding guidewire movement and delivery

Hydrophilic Coating on the Distal 80 cm
Enables exceptional trackability around tight bends and tortuous anatomy

Embedded Platinum/Tungsten Coil
Provides enhanced visibility along the entire angled tip

Stainless Steel Braid
For flexibility, pushability and kink resistance

Straight | Flexible Tip (FT) Catheters

Straight Tip Version
Stiffer tip for more supportive delivery and increased pushability to access complex anatomy

Flexible Tip (FT) Version
For increased trackability through tortuous anatomy

Ordering Information

SuperCross™ Microcatheters

The SuperCross™ Microcatheter is intended to be used in conjunction with steerable guidewires to access discrete regions of the coronary and/or peripheral vasculature. It may be used to facilitate placement and exchange of guidewires and other interventional devices and to subselectively infuse/deliver diagnostic and therapeutic agents.

MODEL	GUIDEWIRE COMPATIBILITY	DISTAL TIP	WORKING LENGTH	SHAFT CONSTRUCTION	DISTAL O.D.	PROXIMAL O.D.	DISTAL I.D.	PROXIMAL I.D.	HYDROPHILIC COATING
5302	0.014"	45°	130 cm	Coiled	2.4 Fr. 0.79 mm / 0.031"	3.2 Fr. 1.07 mm / 0.042"	0.017" (0.43 mm)	0.018" (0.46 mm)	Distal 80 cm
5303	0.014"	45°	150 cm	Coiled	2.4 Fr. 0.79 mm / 0.031"	3.2 Fr. 1.07 mm / 0.042"	0.017" (0.43 mm)	0.018" (0.46 mm)	Distal 80 cm
5304	0.014"	90°	130 cm	Coiled	2.4 Fr. 0.79 mm / 0.031"	3.2 Fr. 1.07 mm / 0.042"	0.017" (0.43 mm)	0.018" (0.46 mm)	Distal 80 cm
5305	0.014"	90°	150 cm	Coiled	2.4 Fr. 0.79 mm / 0.031"	3.2 Fr. 1.07 mm / 0.042"	0.017" (0.43 mm)	0.018" (0.46 mm)	Distal 80 cm
5306	0.014"	120°	130 cm	Coiled	2.4 Fr. 0.79 mm / 0.031"	3.2 Fr. 1.07 mm / 0.042"	0.017" (0.43 mm)	0.018" (0.46 mm)	Distal 80 cm
5307	0.014"	120°	150 cm	Coiled	2.4 Fr. 0.79 mm / 0.031"	3.2 Fr. 1.07 mm / 0.042"	0.017" (0.43 mm)	0.018" (0.46 mm)	Distal 80 cm
5308	0.014"	90° XT	130 cm	Coiled	2.4 Fr. 0.79 mm / 0.031"	3.2 Fr. 1.07 mm / 0.042"	0.017" (0.43 mm)	0.018" (0.46 mm)	Distal 80 cm
5309	0.014"	90° XT	150 cm	Coiled	2.4 Fr. 0.79 mm / 0.031"	3.2 Fr. 1.07 mm / 0.042"	0.017" (0.43 mm)	0.018" (0.46 mm)	Distal 80 cm

Packaged in quantities of 1 unit per box.

ANGLED TIP



SuperCross™ Microcatheters—Straight | FT

The SuperCross™ Microcatheter is intended to be used in conjunction with steerable guidewires to access discrete regions of the coronary and/or peripheral vasculature. It may be used to facilitate placement and exchange of guidewires and other interventional devices and to subselectively infuse/deliver diagnostic and therapeutic agents.

MODEL	GUIDEWIRE COMPATIBILITY	DISTAL TIP	WORKING LENGTH	SHAFT CONSTRUCTION	DISTAL O.D.	PROXIMAL O.D.	DISTAL I.D.	PROXIMAL I.D.	HYDROPHILIC COATING
5300	0.014"	Straight	130 cm	Braided	1.8 Fr. 0.61 mm / 0.024"	2.5 Fr. 0.84 mm / 0.033"	0.017" (0.43 mm)	0.021" (0.53 mm)	Distal 40 cm
5301	0.014"	Straight	150 cm	Braided	1.8 Fr. 0.61 mm / 0.024"	2.5 Fr. 0.84 mm / 0.033"	0.017" (0.43 mm)	0.021" (0.53 mm)	Distal 40 cm
5340	0.014"	FT	130 cm	Braided	1.8 Fr. 0.61 mm / 0.024"	2.5 Fr. 0.84 mm / 0.033"	0.017" (0.43 mm)	0.021" (0.53 mm)	Distal 40 cm
5341	0.014"	FT	150 cm	Braided	1.8 Fr. 0.61 mm / 0.024"	2.5 Fr. 0.84 mm / 0.033"	0.017" (0.43 mm)	0.021" (0.53 mm)	Distal 40 cm

Packaged in quantities of 1 unit per box.
FT= Flexible Tip

STRAIGHT | FT



Teleflex is a global provider of medical technologies designed to improve the health and quality of people's lives. We apply purpose driven innovation – a relentless pursuit of identifying unmet clinical needs – to benefit patients and healthcare providers. Our portfolio is diverse, with solutions in the fields of vascular and interventional access, surgical, anesthesia, cardiac care, urology, emergency medicine and respiratory care. Teleflex employees worldwide are united in the understanding that what we do every day makes a difference. For more information, please visit teleflex.com.

Teleflex is the home of Arrow®, Deknatel®, Hudson RCI®, LMA®, Pilling®, Rüsch®, and Weck® – trusted brands united by a common sense of purpose.

Corporate Office

Phone +1 610 225 6800, 550 E. Swedesford Road, Suite 400, Wayne, PA 19087, USA

Regional Offices

United States: Phone +1 919 544 8000, Toll Free 866 246 6990, cs@teleflex.com, 3015 Carrington Mill Boulevard, Morrisville, NC 27560, USA

Latin America: Phone +1 919 433 4999, la.cs@teleflex.com, 3015 Carrington Mill Boulevard, Morrisville, NC 27560, USA

International: Phone +353 (0)9 06 46 08 00, orders.intl@teleflex.com, Teleflex Medical Europe Ltd., IDA Business and Technology Park, Dublin Road, Athlone, Co Westmeath, Ireland

Australia 1300 360 226
Austria +43 (0)1 402 47 72
Belgium +32 (0)2 333 24 60
Canada +1 (0)800 387 9699
China (Shanghai) +86 (0)21 6163 0965
China (Beijing) +86 (0)10 6418 5699
Czech Republic +420 (0)495 759 111
France +33 (0)5 62 18 79 40
Germany +49 (0)7151 406 0
Greece +30 210 67 77 717
India +91 (0)44 2836 5040
Italy +39 0362 58911
Japan +81 (0)3 6632 3600
Korea +82 2 536 7550
Mexico +52 55 5002 3500
Netherlands +31 (0)88 00 215 00
New Zealand 0800 601 100
Poland +48 22 4624032
Portugal +351 22 541 90 85
Singapore (SEA non-direct sales countries) +65 6439 3000
Slovak Republic +421 (0)3377 254 28
South Africa +27 (0)11 807 4887
Spain +34 918 300 451
Switzerland +41 (0)31 818 40 90
United Kingdom +44 (0)1494 53 27 61
For more information, please visit teleflex.com.

Please see the Instructions for Use for a complete listing of the indications, contraindications, warnings and precautions. CAUTION: Federal (USA) law restricts this device to sale by or on the order of a physician.

Teleflex, the Teleflex logo, SuperCross, Arrow, Deknatel, Hudson RCI, LMA, Pilling, Rüsch and Weck are trademarks or registered trademarks of Teleflex Incorporated or its affiliates, in the U.S. and/or other countries.

Information in this material is not a substitute for the product Instructions for Use. Not all products may be available in all countries. Please contact your local representative. Revised: 08/2018.

© 2018 Teleflex Incorporated. All rights reserved. MC-004795 LA EN

Teleflex®