


VSI Micro-Introducer Kits




Choice Configurations
Conveniently Packaged



VSI Micro-Introducer Kits

A full range of kit configurations to meet a variety of clinical needs

- Full range of kit configurations in convenient packaging
- Smoothly tapered, siliconized micro-introducer for atraumatic vessel insertion
- High quality guidewires with multiple mandrel and tip choices



VSI guidewires provide excellent visibility versus competitive guidewires*



*Testing completed by Vascular Solutions, Inc. Data on file.

VSI Micro-Introducer Kits

The VSI Micro-Introducer kits are used for percutaneous introduction of up to a 0.018" or 0.038" guidewire or catheter into the vascular system following a small gauge needle stick.

VSI Micro-Introducer Kits with Nitinol Mandrel

Model	Introducer Size	Guidewire Diameter	Guidewire Length	21 Gauge Needle	Needle Length	Stiffen or Regular Dilator	Box Quantity
Nitinol Mandrel - Stainless Steel Soft Tip							
7240V	4F	0.018"	40cm	Echogenic	7cm	Regular	10
7248V	4F	0.018"	40cm	Smooth	7cm	Regular	10
7253V	4F	0.018"	40cm	Smooth	4cm	Regular	10
7194V	4F	0.018"	40cm	Echogenic	4cm	Regular	10
7264V	4F	0.018"	40cm	Echogenic	7cm	Stiffen	10
7270V	4F	0.018"	40cm	Smooth	7cm	Stiffen	10
7241V	4F	0.018"	60cm	Echogenic	7cm	Regular	10
7249V	4F	0.018"	60cm	Smooth	7cm	Regular	10
7200V	5F	0.018"	40cm	Echogenic	7cm	Regular	10
7208V	5F	0.018"	40cm	Smooth	7cm	Regular	10
7265V	5F	0.018"	40cm	Echogenic	7cm	Stiffen	10
7271V	5F	0.018"	40cm	Smooth	7cm	Stiffen	10
7201V	5F	0.018"	60cm	Echogenic	7cm	Regular	10
7209V	5F	0.018"	60cm	Smooth	7cm	Regular	10
7254V	5F	0.018"	40cm	Smooth	4cm	Regular	10
Nitinol Mandrel - Tungsten Soft Tip							
7229V	4F	0.018"	40cm	Smooth	4cm	Stiffen	10
7266V	4F	0.018"	40cm	Echogenic	7cm	Stiffen	10
7280V	4F	0.018"	40cm	Echogenic	7cm	Regular	10
7255V	4F	0.018"	40cm	Smooth	7cm	Regular	10
7195V	4F	0.018"	40cm	Smooth	7cm	Stiffen	10
7273V	4F	0.018"	40cm/Angled Tip	Smooth	7cm	Stiffen	10
9217V	4F	0.018"	40cm/Angled Tip	Echogenic	7cm	Stiffen	10
9218V	4F	0.018"	40cm/Angled Tip	Smooth	7cm	Regular	10
9219V	4F	0.018"	40cm/Angled Tip	Echogenic	7cm	Regular	10
7267V	5F	0.018"	40cm	Echogenic	7cm	Stiffen	10
7272V	5F	0.018"	40cm	Smooth	7cm	Stiffen	10
7250V	5F	0.018"	40cm	Echogenic	7cm	Regular	10
7256V	5F	0.018"	40cm	Smooth	7cm	Regular	10
7218V	5F	0.018"	40cm/Angled Tip	Smooth	7cm	Stiffen	10
9220V	5F	0.018"	40cm/Angled Tip	Echogenic	7cm	Stiffen	10
7219V	5F	0.018"	40cm/Angled Tip	Smooth	7cm	Regular	10
9221V	5F	0.018"	40cm/Angled Tip	Echogenic	7cm	Regular	10
7210V	5F	0.018"	60cm	Echogenic	7cm	Regular	10
15cm - Nitinol Mandrel - Tungsten Soft Tip							
9200V	4F	0.018"	60cm	Echogenic	9cm	Stiffen	10
9201V	4F	0.018"	60cm	Smooth	9cm	Stiffen	10
9202V	4F	0.018"	60cm	Echogenic	9cm	Regular	10
9203V	4F	0.018"	60cm	Smooth	9cm	Regular	10
9208V	5F	0.018"	60cm	Echogenic	9cm	Stiffen	10
9209V	5F	0.018"	60cm	Smooth	9cm	Stiffen	10
9210V	5F	0.018"	60cm	Echogenic	9cm	Regular	10
9211V	5F	0.018"	60cm	Smooth	9cm	Regular	10
30cm Stiffen - Nitinol Mandrel - Tungsten Soft Tip							
7230V	4F	0.018"	80cm	Smooth	7cm	30cm Stiffen	10
7231V	5F	0.018"	80cm	Smooth	7cm	30cm Stiffen	10
Angled Tip Introducer - Nitinol Mandrel - Tungsten Soft Tip							
7220V	5F	0.018"	40cm	Echogenic	7cm	Stiffen	10

VSI Micro-Introducer Kits with Stainless Steel Mandrel

Model	Introducer Size	Guidewire Diameter	Guidewire Length	21 Gauge Needle	Needle Length	Stiffen or Regular Dilator	Box Quantity
Stainless Steel Mandrel - Stainless Steel Soft Tip							
7242V	4F	0.018"	40cm	Echogenic	7cm	Regular	10
7198V	4F	0.018"	40cm	Echogenic	4cm	Regular	10
7246V	4F	0.018"	40cm	Smooth	7cm	Regular	10
7260V	4F	0.018"	40cm	Echogenic	7cm	Stiffen	10
7268V	4F	0.018"	40cm	Smooth	7cm	Stiffen	10
7259V	4F	0.018"	40cm, 9cm tip	Echogenic	7cm	Regular	10
7243V	4F	0.018"	60cm	Echogenic	7cm	Regular	10
7247V	4F	0.018"	60cm	Smooth	7cm	Regular	10
7202V	5F	0.018"	40cm	Echogenic	7cm	Regular	10
7206V	5F	0.018"	40cm	Smooth	7cm	Regular	10
7261V	5F	0.018"	40cm	Echogenic	7cm	Stiffen	10
7269V	5F	0.018"	40cm	Smooth	7cm	Stiffen	10
7207V	5F	0.018"	60cm	Smooth	7cm	Regular	10
Stainless Steel Mandrel - Tungsten Soft Tip							
7244V	4F	0.018"	40cm	Smooth	7cm	Regular	10
7262V	4F	0.018"	40cm	Echogenic	7cm	Stiffen	10
7245V	4F	0.018"	60cm	Smooth	7cm	Regular	10
7274V	4F	0.018"	40cm	Smooth	7cm	Stiffen	10
7199V	4F	0.018"	40cm	Echogenic	4cm	Regular	10
9222V	4F	0.018"	40cm	Echogenic	7cm	Regular	10
7204V	5F	0.018"	40cm	Smooth	7cm	Regular	10
7193V	5F	0.018"	40cm	Echogenic	7cm	Regular	10
7263V	5F	0.018"	40cm	Echogenic	7cm	Stiffen	10
7205V	5F	0.018"	60cm	Smooth	7cm	Regular	10

VSI Micro-Introducer Kits with X-Sharp Needles

Model	Introducer Size	Guidewire Diameter	Guidewire Length	21 Gauge Needle	Needle Length	Stiffen or Regular Dilator	Box Quantity
Nitinol Mandrel - Stainless Steel Soft Tip							
7200X	5F	0.018"	40cm	Echogenic	7cm	Regular	10
7208X	5F	0.018"	40cm	Smooth	7cm	Regular	10
Nitinol Mandrel - Tungsten Soft Tip							
7195X	4F	0.018"	40cm	Smooth	7cm	Stiffen	10
7255X	4F	0.018"	40cm	Smooth	7cm	Regular	10
7273X	4F	0.018"	40cm/Angled Tip	Smooth	7cm	Stiffen	10
7250X	5F	0.018"	40cm	Echogenic	7cm	Regular	10
7256X	5F	0.018"	40cm	Smooth	7cm	Regular	10
7272X	5F	0.018"	40cm	Smooth	7cm	Stiffen	10
7267X	5F	0.018"	40cm	Echogenic	7cm	Stiffen	10
30cm Stiffen - Nitinol Mandrel - Tungsten Soft Tip							
7230X	4F	0.018"	80cm	Smooth	7cm	30cm Stiffen	10

Packaged in quantities of 10 units per box. Individual units are not sold separately. Custom configurations also available. All sheaths are 10cm unless otherwise noted.

Please see the Instructions for Use for a complete listing of the indications, contraindications, warnings and precautions.

CAUTION: Federal Law (U.S.A.) restricts this device to sale by or on the order of a physician.

©2017 Vascular Solutions, Inc. All rights reserved. ML2368 Rev. Q 01/17

This literature is intended for distribution only in the U.S. and select international markets.

X-Sharp configurations available in the U.S. only.



Vascular Solutions, Inc.

6464 Sycamore Court North
Minneapolis, Minnesota 55369 USA
Customer Service: 888.240.6001
customerservice@vasc.com
www.vasc.com