

Axios™ guidewire

Heavy-Duty Proximal Shaft
provides distal support and pushability

Smooth Pre-Coating of PTFE
enhances wire delivery

9cm or 12cm Ultra-Floppy Tip
facilitates atraumatic access
and device placement

Strength and Support for Stable Access

Axis™ guidewire

The Axis guidewire is intended to facilitate the placement of devices during diagnostic and interventional procedures.

Model	Wire Diameter	Wire Length	Tip Shape	Box Quantity
7370	0.035"	90cm	Straight, 12cm Floppy	5
7371	0.035"	90cm	Straight, 9cm Floppy	5
7372	0.035"	145cm	Straight, 9cm Floppy	5
7373	0.035"	260cm	Straight, 9cm Floppy	5
7374	0.035"	180cm	Straight, 9cm Floppy	5

Packaged in quantities of 5 units per box. Individual units are not sold separately.


VSI Torque Device accessory

The VSI Torque Device is designed to be used with guidewires ranging in size from 0.014" to 0.038".

Model	Description	Box Quantity
8180	VSI Torque Device	10

Packaged in quantities of 10 units per box. Individual units are not sold separately.

The VSI Torque Device is intended for use in manipulating a guidewire that is in the vasculature.



Please see the Instructions for Use for a complete listing of the indications, contraindications, warnings and precautions.
CAUTION: Federal law (U.S.A.) restricts this device to sale by or on the order of a physician.
Axis is a trademark of Vascular Solutions, Inc.

©2015 Vascular Solutions, Inc. All rights reserved. ML1927 Rev. G 11/15

This literature is intended for distribution only in the U.S.



Manufactured for:
Vascular Solutions, Inc.
6464 Sycamore Court North
Minneapolis, Minnesota 55369
Customer Service: 888.240.6001
www.vasc.com